



EQG 6427-E

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: ALUMINA 3DMIX AL-E03
- \cdot 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

- · Application of the substance / the preparation : Mix
- · 1.3 Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

3DCERAM Sinto

4 rue Maison Rouge

Parc d'activités Maison Rouge

87 270 BONNAC LA COTE

Tél: 05 55 04 10 90 Fax: 05 55 38 11 45 info@3dceram.com

· 1.4 Emergency telephone number:

France (INRS 24h/24) - Tel: +33 (0)1 45 42 59 59

Ireland - Tel: 00 353 1 8092568 - 00 353 1 8379964 (24h/24) EU Tel: 112

Belgium - Brüssel: +32 070/245 245

UK: Call NHS 999 in a medical emergency. If you urgently need medical help or advice but it's not a life-threatening situation, call 111 (24/7). The NHS 111 number is currently only available in certain areas. If you're outside of these areas, you should call NHS Direct on 0845 4647

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008 :



Repr. 2 H361 Suspected of damaging fertility or the unborn child.



Eye Irrit. 2 H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

- 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



EQG 6427-E

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: ALUMINA - 3DMIX - AL-E03

(Contd. of page 1)

· Hazard pictograms



· Signal word Warning

· Hazard-determining components of labelling:

-

Hazard statements

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction.

H361 Suspected of damaging fertility or the unborn child.

H412 Harmful to aquatic life with long lasting effects.

· Precautionary statements

P264 Wash thoroughly after handling.
P273 Avoid release to the environment.

P280 Wear protective gloves / eye protection / face protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 If eye irritation persists: Get medical advice/attention.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

2.3 Other hazards

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· **Description:** Mixture: consisting of the following components.

Dangerous components:		
CAS: - EC number: -	-	5-10%
	♦ Aquatic Chronic 2, H411; ♦ Eye Irrit. 2, H319	
CAS: -	-	<5%
EINECS: -	& Repr. 2, H361; Aquatic Chronic 3, H412	
CAS: - EINECS: -	-	≤2.5%
Reg.nr.: -	♦ Aquatic Chronic 2, H411; ♦ Skin Sens. 1B, H317	

(Contd. on page 3)





EQG 6427-E

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: ALUMINA - 3DMIX - AL-E03

		(Contd. of page 2)
	-	0-≤2.5%
	♦ Eye Irrit. 2, H319	
CAS: -	-	<0.25%
ELINCS: -	Skin Sens. 1A, H317; Aquatic Chronic 4, H413	
Index number: -		

- · SVHC No
- · Additional information: For the wording of the listed risk phrases, refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Provide fresh air; consult a doctor in case of medical complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- · After swallowing: Do not induce vomiting; call for medical help immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed :

No further relevant information available.

· 4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture: No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid formation of dust.

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow the product to enter sewers/ surface water or ground water.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· 6.4 Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protective equipment.

(Contd. on page 4)





EQG 6427-E

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: ALUMINA - 3DMIX - AL-E03

(Contd. of page 3)

See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling:

Keep away from heat and direct sunlight.

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storagefacility:

Don't store with foods and drinks

Do not store together with oxidising and acidic materials.

· Further information about storage conditions:

Shelf life: 6 months from the date of production.

After opening, use within 3 months.

Stir continuously at 50rpm

- · Recommended storage temperature: ≤25 °C
- · 7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any signifiant quantities of materials with critical values that have to be monitored at the workplace.

Additional information:

The most current valid lists have been used as a basis for the production of this document.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from food, beverages and petfood.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

- · Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.
- Protection of hands:



· Gloves material: Butyl rubber, BR






EQG 6427-E

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: ALUMINA - 3DMIX - AL-E03

(Contd. of page 4)

Eye protection:



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties	
General Information	
· Appearance: Form:	Ceramic slurry
Colour:	White
· Odour:	Characteristic
· Odour threshold:	Not determined.
· pH-value:	Not applicable.
· Change in condition	
Melting point/freezing point:	Undetermined.
Initial boiling point and boiling range:	Undetermined.
· Flash point:	Not applicable.
· Flammability (solid, gas):	Not determined.
· Ignition temperature:	Not applicable.
· Decomposition temperature:	Not determined.
· Auto-ignition temperature:	Product is not self igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not applicable.
· Density:	Not determined.
Relative density :	Not determined.
· Vapour density :	Not applicable.
· Evaporation rate :	Not applicable.
· Solubility in / Miscibility with	
water:	Insoluble.
· Segregation coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not applicable.

(Contd. on page 6)





EQG 6427-E

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: ALUMINA - 3DMIX - AL-E03

(Contd. of page 5)

Kinematic:	Not applicable.	
· Solvent content: COV (CH) :	0.00 %	
· 9.2 Other information :	No further relevant information available.	

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions: No dangerous reactions known.
- 10.4 Conditions to avoid: No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- 11.1 Information on toxicological effects
- · Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC5	· LD/LC50 values relevant for classification:	
CAS: 1	CAS: 1344-28-1 aluminium oxide	
Oral	LD50 >5,000 mg/kg (rat)	

- · Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are notmet.
- · On the eyes:

Causes serious eye irritation.

- · Respiratory or skin sensitization
- May cause an allergic skin reaction.
- · Additional toxicological information:
- · CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity

Suspected of damaging fertility or the unborn child.

· STOT-single exposure Based on available data, the classification criteria are not met.

(Contd. on page 7)





EQG 6427-E

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: ALUMINA - 3DMIX - AL-E03

(Contd. of page 6)

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity:

CAS: 1344-28-1 aluminium oxide

LC50 48h | 14.6 mg/l (fish)

EC50 48h | 38.2 mg/l (daphnia)

- 12.2 Persistence and degradability: No further relevant information available.
- \cdot 12.3 Bioaccumulative potential : No further relevant information available.
- 12.4 Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects: No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 8)





EQG 6427-E

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: ALUMINA - 3DMIX - AL-E03

(Contd. of page 7)

- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

· 14.1 UN-Number · ADR, IMDG, IATA	Not classified as hazardous for transport
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Not classified as hazardous for transport
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Not classified as hazardous for transport
· 14.4 Packing group · ADR, IMDG, IATA	Not classified as hazardous for transport
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.
· UN "Model Regulation":	Not classified as hazardous for transport

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H317 May cause an allergic skin reaction.
- H319 Causes serious eye irritation.
- H361 Suspected of damaging fertility or the unborn child.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- H413 May cause long lasting harmful effects to aquatic life.

(Contd. on page 9)



Page 9/9

EQG 6427-E

Printing date 14.06.2021 Version number 1 Revision: 14.06.2021

Trade name: ALUMINA - 3DMIX - AL-E03

(Contd. of page 8)

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOCV: Lenkungsabgabe auf flüchtigen organischen Verbindungen, Schweiz (Swiss Ordinance on volatile organic compounds)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Eye Irrit. 2: Serious eye damage/eye irritation - Category 2

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B Repr. 2: Reproductive toxicity – Category 2

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard — Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard — Category 3 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard — Category 4

-GB